


NEW WIRING DEVICES
GALION
— **STYLE** —
Without
BORDERS



-> CATALOGUE PAGES INSIDE

THE GLOBAL SPECIALIST
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES



legrand

Perfect

FOR

TRENDY
INTERIOR
DESIGNS

A reflection of contemporary style and functionality designed to marry contemporary border-less design with quality and function, **Galion's range of wiring devices is crafted with excellence, using only the best quality components.**

SUMMARY

- 02-03 ELEGANT DETAILS THAT MAKE THE DIFFERENCE
- 04-05 MINIMALIST DESIGN WITH MAXIMUM FUNCTIONS
- 06-07 A GOOD PLACE TO STAY
- 08-09 JUST FEEL LIKE HOME
- 10-11 FINEST QUALITY COMPONENTS & MATERIAL
- 12-13 STRENGTH AND EASY INSTALLATION
- 14-19 CATALOGUE PAGES



ELEGANT
DETAILS
That Make
— THE —
DIFFERENCE



A FULL PLATE,
BORDER-LESS
DESIGN,
GALION CAN SUIT
ANY INTERIOR
DESIGN STYLE



DARK SILVER



CHAMPAGNE



WHITE



ROSE GOLD



MATT BLACK

The slim and fine chamfering at the edges, the slightly curved plate: the details that make the difference for an even more refined product.

The delicate silver or electroplated bar accentuate the modern and exquisite elements of a minimalist design.

02
03

The image features a minimalist dining table and chairs set. The table is white with a dark, cross-shaped base. Two white chairs with yellow accents on the backrests are positioned in front of the table. A silver pendant lamp hangs from the ceiling. The background is a light beige color with abstract, overlapping shapes in shades of green and yellow. The text is centered in the upper half of the image, enclosed in a thin brown border.

minimalist
DESIGN
WITH
Maximum
FUNCTIONS

GALION OFFERS A WIDE SELECTION OF FUNCTIONS ABLE TO SATISFY REQUIREMENTS OF THE MOST CURRENT PROJECTS.

CONTROL MECHANISMS



16 A single pole switches: 1 and 2-way and from 1 to 4 gang

16 A push buttons with or without bell marking



RLC + LED rotary dimmers

20 A double pole switches: 1 gang - 1 way with LED or with «water heater marking»

Fan stepless controls

SOCKET OUTLETS



1 and 2 gang 13 A British standard socket outlets with or without LED power indicator, with or without USB charger

1 or 2 gang 16 A Multistandard socket outlets

1 gang 20 A Cable outlet socket outlets

DATA SOCKET OUTLETS



Television sockets: female, «F» type and TV-FM-SAT

Double USB Type A charger

Data sockets: simple and double RJ 45 Cat. 6

04
05

A
GOOD
Place
TO STAY





DND/CUR marking switches



DND/CUR sign and bell push button

THE DEDICATED HOSPITALITY FUNCTIONS MAKE GALION A SOLUTION PERFECTLY ADAPTED TO THE NEEDS OF A MODERN GUEST ROOM.



Electromechanical or RFID Keycard switches



USB and HDMI socket



Shaver sockets



1 and 2 gang 13 A British standard socket outlets with USB chargers

The British standard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C™, 3 A - 5 V = 15W. With USB Type-C™ making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A



TYPE-C



06
07

JUST
FEEL
LIKE —
Home





BE FREE TO FEEL AT HOME, BUT WITH THE ADDED CONVENIENCE OF HOTEL SERVICES. GALION PROVIDES ALL NEEDED FUNCTIONS FOR WELL-EQUIPPED AND COMFORTABLE SERVICED APARTMENTS.



The universal dimmer that dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling the customers to benefit of the entire potential of modern loads and helping them to create cosy interiors.



RCD + LED rotary dimmers



13 A 1 gang fused connection units, with switch and LED power indicator



45 A double pole switches 1 gang - 1-way, with LED and red rocker



THE ARTEOR ADAPTOR
It gives access to the Arteor functions for any installation requiring special functions like automatic switches, skirting light, sensitive switches, etc.



08
09

legrand

FINEST
Quality
**COMPONENTS
& MATERIAL**

legrand

13A



ONLY THE BEST-IN-CLASS MATERIALS

Made from fire retardant PC materials that fuses safety, with effortless maintenance to suit that busy lifestyle.



RELIABLE PROTECTION

Encased in fibreglass nylon shutter, enjoy peace of mind with a proven track record that exceeds more than 10 000 times in operations.

PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.


10
11



Strength
AND
EASY
INSTALLATION


COMPLETE PRODUCT

1 CATALOGUE NUMBER = 1 READY TO INSTALL PRODUCT FOR QUICK SELECTION




STRENGTH IN ELEGANCE

A honeycomb design supporting frame brings about the best stability and strength for electrical structures.



CLASSY SIMPLICITY

A soft protection film ensures the devices' cleanliness and neatness during installation.



EASY INSTALLATION

Experience assurance and security through installation with the new saddle-shaped terminal, which can fix up to three 4 mm² wires.

12
13

Galion™

ARTISTIC SIMPLICITY



A REFLECTION OF CONTEMPORARY AND FUNCTION

FUNCTIONAL AND UNIVERSAL



2 gang switch



3 gang switch



4 gang
switch



13A switch socket
with USB charger



Cat6 RJ45
socket



Key card
Switch



Do not disturb
switch sensor



Dimmer
rotary

Galion™

Single Pole Switches and Push Button



282411



282402-C1



282404-C3



282406-C2



282400-C

Conform to BS EN 60669-1
 Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Single pole switches 16 AX - 250 V~
8/72	282400 282400-C1 282400-C2 282400-C3 282400-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282401 282401-C1 282401-C2 282401-C3 282401-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282402 282402-C1 282402-C2 282402-C3 282402-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282403 282403-C1 282403-C2 282403-C3 282403-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282404 282404-C1 282404-C2 282404-C3 282404-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282405 282405-C1 282405-C2 282405-C3 282405-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282406 282406-C1 282406-C2 282406-C3 282406-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282407 282407-C1 282407-C2 282407-C3 282407-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282413 282413-C1 282413-C2 282413-C3 282413-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Pack	Cat.Nos	Push-buttons 16 AX - 250 V~
8/72	282410 282410-C1 282410-C2 282410-C3 282410-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282411 282411-C1 282411-C2 282411-C3 282411-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	N 282491 282491-C1 282491-C2 282491-C3 282491-C	<ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	N 282421* 282421-C2*	<p>Push-buttons 16 AX - 250 V~ (with 12V White LED)</p> <ul style="list-style-type: none"> ○ White (Silver bar) ● Champagne (Silver bar)
8/72	N 282422* 282422-C2*	<ul style="list-style-type: none"> ○ White (Silver bar) ● Champagne (Silver bar)
8/72	N 282423* 282423-C2*	<ul style="list-style-type: none"> ○ White (Silver bar) ● Champagne (Silver bar)
8/72	N 282424* 282424-C2*	<ul style="list-style-type: none"> ○ White (Silver bar) ● Champagne (Silver bar)

*: For non-residential applications

Galion™

Double Pole Switches, Socket Outlet, and USB Charger



282408

282441-C1

282426-C2

282437-C3

282441-C

Conform to BS EN 60669-1
 Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Conform to SS 145-2
 Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack	Cat.Nos	Double pole switches 20 AX – 250 V~
8/72	282408 282408-C1 282408-C2 282408-C3 282408-C	1 gang – 1 way with Earth Connection & amber LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282412 282412-C1 282412-C2 282412-C3 282412-C	1 gang - 2 way with Earth Connection & amber LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
50	282426 282426-C1 282426-C2 282426-C3 282426-C	1 gang 1 way with red LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
50	N 282427 282427-C1 282427-C2 282427-C3 282427-C	1 gang 1 way red rocker with red LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
50	282428 282428-C1 282428-C2 282428-C3 282428-C	1 gang 1 way red rocker with red LED indicator + "COOKER" marking <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
50	282429 282429-C1 282429-C2 282429-C3 282429-C	2 gang 1 way vertical red rocker with red LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Pack	Cat.Nos	British standard sockets outlets - 13 A - 250 V~
8/72	282432 282432-C1 282432-C2 282432-C3 282432-C	1 gang switched <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/45	282433 282433-C1 282433-C2 282433-C3 282433-C	2 gang switched <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8	282480 282480-C1 282480-C2 282480-C3 282480-C	1 gang switched with LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5	282481 282481-C1 282481-C2 282481-C3 282481-C	1 gang switched with LED indicator <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	282437 282437-C1 282437-C2 282437-C3 282437-C	15A Socket outlet 1 gang switched <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/50	282441 282441-C1 282441-C2 282441-C3 282441-C	British standard sockets outlets - 13 A with USB charger 1 gang SP with USB Type-A charger <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/45	N 282443 282443-C1 282443-C2 282443-C3 282443-C	2 gang SP switched with USB Type-A + Type-C charger <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5	N 282483 282483-C1 282483-C2 282483-C3 282483-C	1 gang SP Type-C charger <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Galion™

Socket outlet, USB Charger, Cooker Unit, Fused Connection Unit and Cable Outlets



282442



282444-C1



282448-C2



282453-C3

Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Conform to SS 403
 Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Multistandard sockets outlets - 13 A - 250 V~	13 A fused connection units
8/72	282434* 282434-C1* 282434-C2* 282434-C3* 282433-C*	1 gang switched ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	1 gang unswitched ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/45	282435* 282435-C1* 282435-C2* 282435-C3* 282435-C*	2 gang switched ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	1 gang switched ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/50	282442* 282442-C1* 282442-C2* 282442-C3* 282442-C*	Multistandard sockets outlets - 13 A - 250 V~ 1 gang switched with USB Type-A ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	1 gang switched with LED indicator ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/45	282444* 282444-C1* 282444-C2* 282444-C3* 282444-C*	2 gang switched with USB Type-A + USB Type-C ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	
5	N 282485* 282485-C1* 282485-C2* 282485-C3* 282485-C*	1 gang switched with USB Type-C ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	
8/50	282447 282447-C1 282447-C2 282447-C3 282447-C	USB charger 2.4 A Double USB Type-A charger ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	
8/72	N 282448 282448-C1 282448-C2 282448-C3 282448-C	USB and HDMI data socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)	

*: For non-residential applications

Galion™

Dimmers, Television sockets, Switches for Hotels and Shaver Sockets



282457



282449-C1



282420-C2



282415-C3



282439-C

Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Dimmers
5/50	N 282419 282419-C1 282419-C2 282419-C3 282419-C	Rotary dimmers without neutral - 300 W RLC+LED Conform to IEC 60669-2-1 For all types of lamps: - dimmable LEDs: 5 W to 75 W - dimmable compact fluorescent lamps: 5 W to 75 W - halogen with ferromagnetic or electronic transformer: 5 VA to 300 VA - fluorescent tube - ballast: 5 VA to 300 VA - halogen and incandescent 230 VA: 5 W to 300 W ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/50	282420 282420-C1 282420-C2 282420-C3 282420-C	500W dimmer rotary ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	N 282490 282490-C1 282490-C2 282490-C3 282490-C	Stepless Fan Control ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/90	N 282457 282457-C1 282457-C2 282457-C3 282457-C	Television sockets Single TV female socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
10/90	282449 282449-C1 282449-C2 282449-C3 282449-C	Single TV socket "F" type ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
8/72	N 282459 282459-C1 282459-C2 282459-C3 282459-C	TV-R-SAT socket Low attenuation: 1.5dB ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Pack	Cat.Nos	Switches for hotels
1/50	282417	Black touch plate with bell button, DND/CUR
8/72	282416 282416-C1 282416-C2 282416-C3 282416-C	DND/CUR 2 gang switch ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
5/50	282415 282415-C1 282415-C2 282415-C3 282415-C	Key card switch 220V ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
1/50	282418 282418-C1 282418-C2 282418-C3 282418-C	Key card switch RFID ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
1/10	282439 282439-C1 282439-C2 282439-C3 282439-C	Shaver Socket Conform to IEC 61558-2-8 115/230 V - 20 VA - 50/60 Hz Power supply: 230 VA - 50/60 Hz Suitable for use with European, British, Australian, Chinese and US 2-pin plugs Dim: 86 x 146 mm 2 outputs ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)

Galion™

Telephone Sockets, Data sockets, Plates




282445



282460-C1



282470-C2



282463-C3



282471-C

Material: Polycarbonate front cover plates
 Supplied with 2 screws M3.5 for BS boxes
 Supplied complete with plate
 Dimensions: 86 x 88 mm (1 gang)

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Multi-gang frames	
8/72	282445 282445-C1 282445-C2 282445-C3 282445-C	RJ 11	20/180	282472 282472-C1 282472-C2 282472-C3 282472-C4		2 gang frame
		○ White (Silver bar)				○ White (Silver bar)
● Rose Gold (Electroplate bar)		● Rose Gold (Electroplate bar)				
● Champagne (Silver bar)		● Champagne (Silver bar)				
● Dark Silver (Silver bar)		● Dark Silver (Silver bar)				
● Matt Black (Electroplate bar)	● Matt Black (Electroplate bar)					
8/72	282446 282446-C1 282446-C2 282446-C3 282446-C	Double RJ 11	5/70	282473 282473-C1 282473-C2 282473-C3 282473-C		3 gang frame
		○ White (Silver bar)				○ White (Silver bar)
● Rose Gold (Electroplate bar)		● Rose Gold (Electroplate bar)				
● Champagne (Silver bar)		● Champagne (Silver bar)				
● Dark Silver (Silver bar)		● Dark Silver (Silver bar)				
● Matt Black (Electroplate bar)	● Matt Black (Electroplate bar)					
8/72	282460 282460-C1 282460-C2 282460-C3 282460-C	Data sockets	5/60	282474 282474-C1 282474-C2 282474-C3 282474-C		4 gang frame
		RJ 45 Cat. 5e UTP				○ White (Silver bar)
○ White (Silver bar)		● Rose Gold (Electroplate bar)				
● Rose Gold (Electroplate bar)		● Champagne (Silver bar)				
● Champagne (Silver bar)		● Dark Silver (Silver bar)				
● Dark Silver (Silver bar)	● Matt Black (Electroplate bar)					
8/72	282461 282461-C1 282461-C2 282461-C3 282461-C	RJ 45 Cat 6 UTP	5/30	282475 282475-C1 282475-C2 282475-C3 282475-C		5 gang frame
		○ White (Silver bar)				○ White (Silver bar)
● Rose Gold (Electroplate bar)		● Rose Gold (Electroplate bar)				
● Champagne (Silver bar)		● Champagne (Silver bar)				
● Dark Silver (Silver bar)		● Dark Silver (Silver bar)				
● Matt Black (Electroplate bar)	● Matt Black (Electroplate bar)					
8/72	282462 282462-C1 282462-C2 282462-C3 282462-C	Double RJ 45 Cat. 5e UTP	15/ 135	282470 282470-C1 282470-C2 282470-C3 282470-C		Blanking plate
		○ White (Silver bar)				○ White (Silver bar)
● Rose Gold (Electroplate bar)		● Rose Gold (Electroplate bar)				
● Champagne (Silver bar)		● Champagne (Silver bar)				
● Dark Silver (Silver bar)		● Dark Silver (Silver bar)				
● Matt Black (Electroplate bar)	● Matt Black (Electroplate bar)					
8/72	282463 282463-C1 282463-C2 282463-C3 282463-C	Double RJ 45 Cat. 6 UTP	15/ 135	282471 282471-C1 282471-C2 282471-C3 282471-C		Arteur 2 modules adaptor
		○ White (Silver bar)				○ White (Silver bar)
● Rose Gold (Electroplate bar)		● Rose Gold (Electroplate bar)				
● Champagne (Silver bar)		● Champagne (Silver bar)				
● Dark Silver (Silver bar)		● Dark Silver (Silver bar)				
● Matt Black (Electroplate bar)	● Matt Black (Electroplate bar)					
8/72	282452 282452-C1 282452-C2 282452-C3 282452-C	Cable outlet				
		1 gang 20A				
○ White (Silver bar)						
● Rose Gold (Electroplate bar)						
● Champagne (Silver bar)						
● Dark Silver (Silver bar)						
● Matt Black (Electroplate bar)						

For integration of Arteur functions, see Arteur offer





FOLLOW US
ALSO ON

-  legrand.com.sg
-  www.facebook.com/legrandsingapore
-  [youtube.com/user/legrand](https://www.youtube.com/user/legrand)
-  twitter.com/legrand_news
-  [pinterest.com/legrandgroup](https://www.pinterest.com/legrandgroup)



Singapore
17 Neythal Road,
Singapore 628582
 : + 65 6416 1550
 : + 65 6416 1580