

WIRING
ACCESSORIES

LISSE

Schneider
Electric™



Schneider
Electric

GGBL1012

Curves in all the right places...

The Lisse white moulded range of wiring accessories offers the perfect blend of style and performance.

You no longer have to choose between convenience and efficiency, or compromise on appearance to get the most innovative features. Lisse is packed with a vast array of technical features, providing a high level of quality, reliability and value you can count on.

- Ideally suited for new construction and refurbishment projects
- Future-proofed to cater for the latest demands in consumer technology
- Made from durable, high quality urea with antimicrobial properties
- Cleverly designed to ensure that product ordering is simple and efficient, with many time and space saving solutions
- Crafted with your customer in mind, adding bespoke solutions to make a lasting impact

From all angles.

No matter how you look at it - from the front, back, or side - the Lisse range is designed to make your life simpler. Get installation right the first time, every time.

Backed out and captive screw terminals to allow for positive drive and speed of installation


Twin earth terminals on all 2 gang 13A socket outlets, for high integrity earthing

Angled terminals for easier access

Light grey back moulding colour for easier terminal identification

Cable markings on all products with a moulded template to check the wire length

Minimum back projection frees up space in the back box for cabling



One and two gang spacers
available for added installation depth

Gently rounded rockers to
compliment the curved profile


Optional LED status indicator,
which simply & securely clips into
the back of the plate

Two sets of screw cap
covers for a sleek finish

Large plate footprint provides
extra strength and reduces the
need for additional decorating

GGBL3020D

7mm raised edge profile offers easy
installation for new builds and retrofits



Tailored to meet your needs...

Lisse has been cleverly designed to ensure that product ordering is simple and efficient, with many time and space saving solutions.

With indication or without? With flex outlet or without? Lisse simplifies the decision with standard, core part references and optional adaptations to suit individual installation requirements. What does this mean for you? Faster ordering, fewer part references, and greater flexibility for future upgrades.



GGBL2010,
GGBLSIND

A tidy solution

Optional LED status indicators and flex outlet frames offer the flexibility you need on site and in the warehouse, without having to hold stock variations of the same product. This also ensures you always have the right product, exactly when you need it.



GGBL5010,
GGBLSPC1FO

More space

Off to your next remodel or refurbishment? Avoid the time and cost needed to replace old back boxes for your new accessories. One and two gang spacers provide the perfect solution when extra installation depth is needed.



GGBL30202USBS, GGBLSHF2GS

Wiring accessories become home accessories

The Lisse range includes several exclusive accessories that help to make your customer's lives simpler, convenient, and fun! Recharging mobile phones or tablets is made easy with the 2 gang shelf frame for Lisse sockets. Plus, they will never lose their keys or shopping lists again with Lisse hook or clip frames.



Simply beautiful

The smooth, modern lines of Lisse offer an understated elegance to compliment today's interiors. Not only that - every attention to detail has been paid to the design and construction, ensuring the range is built to make your installation faster, smoother, simpler...

Illuminating...

Enjoy the subtle but elegant illumination provided by Lisse LED indicators. This optional feature shines through the front plate moulding when additional location or power indication is needed. With its LED technology, you also can feel confident in the performance and longevity.

Plug and play

Installation couldn't be easier or more flexible, as the LED indicators are simply clipped in to place via a purpose-built holding space on the back of the front plate and connected using the dedicated terminals.



Schneider
Electric

GGBL2011



Extended range

for bespoke requirements


With such a comprehensive product range, Lisse white moulded allows you to find everything that you need to meet the demands of today's modern installations.



GGBL6012LS

Dimming capability.

Enjoy a comprehensive selection of dimming solutions with Lisse white moulded, from mains & low voltage through to LED compatibility, as well as the addition of 1-10V control.



GGBL3020D4MP

Stay connected.

Help your customers stay connected to their TVs, game consoles, computers and sound systems with Lisse.

Choose from a full range of multimedia connectors, USB chargers and combination plates to meet all of your customers' needs.

For every application.

From commercial offices and hotels to residential spaces, Lisse white moulded offers solutions ideally suited to the unique requirements of each installation.



GGBL3050NS



GGBL1022W



GGBL2010LS

Non-standard plug and socket

In communal spaces where energy access needs to be controlled, the Lisse non-standard socket and accompanying plug offer the ideal solution

Improving ease of use

Wide rocker switches and socket outlets with outboard rockers from the Lisse portfolio offer a practical alternative to improve the ease of operation

Added safety and security

Provide peace of mind to a commercial installation or communal space with a lockable switch or socket, as unauthorised energy usage can be restricted



GGBL04G

Grid solutions

In keeping with the sleek, rounded profile throughout the range, Lisse grid plates offer added functionality and flexibility to your installations. Slot headed screws, designed to suit the tools you have with you on site, make installation easier. Additionally, the accompanying mounting frames are provided with each grid front plate for simplified ordering



A full clinical assessment

Schneider Electric have commissioned an external test to assess the resistance of Lisse white moulded wiring devices against:

- > MRSA
- > Salmonella
- > E-Coli
- > Klebsiella Penumoniae

Combined with the Schneider Electric cable management range, to provide you with a complete solution

Lisse wiring devices can be used seamlessly with the Ultimate or Cableline anti-microbial 3 compartment trunking system.



GGBL3050

The results:

MRSA	99.9% kill rate
E-Coli	97.5% kill rate
Salmonella	97.0% kill rate
Klebsiella Pneumoniae	99.4% kill rate

Clear, useful packaging.

Lisse packaging is offered in both point-of-sale and wholesale options, depending on your needs. Each option offers clear product information and descriptions, helping to minimise errors when preparing orders.



Point-of-sale / display packaging

- Clear descriptions, highlights and pictograms to inform and aid purchasing decisions
- Product reference easily identifiable
- Unobstructed view of front and back of product
- Simply add **S** suffix to wholesale reference



Wholesale packaging

- Optimal dimensions for standard shelves to optimize use of shelf space
- Securely packaged to prevent movement inside the box
- Large, visible labels
- Easy to read in environments with low light levels


Easy to understand part codes.

Simple ideas...





















Provide your customers the style and performance that they are looking for, whilst enjoying easier ordering with the Lisse range. Part codes follow a standard, straight forward methodology to save you time.

...with a simple part code structure


- 10 Plate switches
- 20 20AX switches & flex outlets
- 30 Sockets
- 40 50A switches & 45A control units
- 50 Fused connection units
- 60 Dimmers
- 70 Shaver sockets & data communication
- 80 Blank plates











Product selector

Product family	Description	Part codes		Product family	Description	Part codes		
		Wholesale packaged	Point-of-sale / display packaged			Wholesale packaged	Point-of-sale / display packaged	
	13A 1 gang	GGBL3050	GGBL3050S		10A 3 pole fan isolator 10AX 1 gang 2 way	GGBL10131R		
	13A 2 gang	GGBL3060	GGBL3060S		10AX 1 gang intermediate	GGBL1014	GGBL1014S	
	13A 1 gang single-pole 	GGBL3010	GGBL3010S		10AX 2 gang 2 way	GGBL1022	GGBL1022S	
	13A 1 gang double-pole 	GGBL3010D	GGBL3010DS		10AX 3 gang 2 way	GGBL1032	GGBL1032S	
	13A 1 gang single-pole non-standard 		GGBL3050NS		10AX 4 gang 2 way	GGBL1042	GGBL1042S	
	13A non-standard plug top		GGBLTOP13ANS			10AX 1 gang 2 way	GGBL1012A	GGBL1012AS
	13A 2 gang single-pole 	GGBL3020	GGBL3020S			10AX 1 gang 2 way & 16mm pattress		GGBL1012116AS
13A 2 gang double-pole 	GGBL3020D	GGBL3020DS	10A 1 gang 2 way retractive printed 'press'			GGBL1012ARP		
	13A 2 gang double-pole 	GGBL3030	GGBL3030S	10AX 2 gang 2 way	GGBL1022A			
	13A 1 to 2 gang convertor	GGBL30212DS			250W 1 gang 1 way		GGBL6011CS	
Lockable socket	13A 1 gang double-pole	GGBL3060L			400W/VA 1 gang 2 way		GGBL6012CS	
	2A 1 gang unswitched	GGBL3070			1-10V 6A 1 gang 2 way		GGBL6012V4S	
	5A 1 gang unswitched	GGBL3080			100W/VA 1 gang 2 way LED		GGBL6012LS	
	5A 1 gang switched 	GGBL3081			250W/VA 2 gang 1 way		GGBL6022CS	
	15A 1 gang switched 	GGBL3090	GGBL3090S		1-10V 6A 2 gang 2 way		GGBL6022V4S	
	16A 1 gang unswitched	GGBL1012W	GGBL1012WS		100W/VA 2 gang 2 way LED		GGBL6022LS	
	10AX 1 gang intermediate	GGBL1014W	GGBL1022WS		250W/VA 3 gang 2 way		GGBL6032CS	
	10AX 3 gang 2 way	GGBL1032W	GGBL1032WS	1-10V 6A 3 gang 2 way		GGBL6032V4S		
	10AX 1 gang 1 way	GGBL1011	GGBL1011S	250W/VA 4 gang 2 way		GGBL6042CS		
	10AX 1 gang 2 way	GGBL1012	GGBL1012S	1-10V 6A 4 gang 2 way		GGBL6042V4S		
	10A 1 gang 1 way retractive	GGBL1012R	GGBL1012RS		20AX 1 gang 	GGBL2010		
	10A 1 gang 1 way retractive printed 'press'	GGBL1012RP	GGBL1012RPS		20AX 1 gang lockable		GGBL2010LS	
	10A 1 gang 1 way retractive printed with bell symbol	GGBL1012RB	GGBL1012RBS		20AX 1 gang with LED indicator	GGBL2011	GGBL2011S	
	10A 3 pole fan isolator	GGBL1013	GGBL1013S		20AX 1 gang with LED indicator & flex outlet frame engraved 'water heater'	GGBL2014WH		
	10AX 1 gang 2 way & 10A 3 pole fan isolator	GGBL10131L			32A 1 gang with LED indicator	GGBL4030		
					50A 1 gang with LED indicator	GGBL4011	GGBL4011S	
			50A 2 gang with LED indicator		GGBL4021	GGBL4021S		
			20AX DP Sink Bath Switch with Neon Note: Designed for the Irish market		GGBL2022IMR			


Note: Engraved and printed products are available.






 Optional LED indication can be added to the product

Product selector

Product family	Description	Part codes		Product family	Description	Part codes		
		Wholesale packaged	Point-of-sale / display packaged			Wholesale packaged	Point-of-sale / display packaged	
Fused connection units & flex outlet plate 	25A side entry flex outlet plate	GGBL2033	GGBL2033S	Combination plate 	2 x 2 gang 13A socket, 2 x 2 module euro outlets, Quadplex, BT secondary & TV return 	GGBL3020D4MP		
	1 3A unswitched	GGBL5000	GGBL5000S					
	1 3A double-pole switched	GGBL5010						
	1 3A double-pole switched with LED indicator	GGBL5011						
Cooker control units 	45A double-pole cooker control unit with switched 1 3A socket & LED indicator	GGBL4001	GGBL4001S	Euro plates 1 gang 1 module 1 gang 2 module 2 gang 4 module	GGBL8050 GGBL8060 GGBL8080			
	50A cooker connection unit	GGBL4050	GGBL4050S	Euro modules - 25 x 50mm 2 x phono socket 2 x loudspeaker socket Single IEC coax (female) Single IEC coax (male) Single F type SAT RJ11 modem BT master BT slave RJ45 CAT5e (not screened) RJ45 CAT6 (not screened) Single 1A USB charger VGA Blank module	GUE7000W GUE7001W GUE7011W GUE7012W GUE7030W GUE7051W GUE7061W GUE7062W GUE7071W GUE7072W GUE7073W GUE7075W GUE8010W			
Shaver socket 	1 15/230V dual voltage	GGBL7090	GGBL7090S	Telephone & data outlets 	1 gang 2 x USB charger outlets 1 gang 1 x RJ12 outlet 1 gang 1 x BT master 1 gang 1 x BT secondary 1 gang 1 x RJ45 Cat 5e UTP 1 gang 1 x RJ45 Cat 6 UTP 1 gang 2 x RJ45 Cat 5e UTP 1 gang 2 x RJ45 Cat 6 UTP	GGBL70042 GGBL7051 GGBL7061 GGBL7062 GGBL7071C5 GGBL7071C6 GGBL7072C5 GGBL7072C6	GGBL70042S GGBL7051S GGBL7061S GGBL7062S GGBL7071C5S GGBL7071C6S GGBL7072C5S GGBL7072C6S	
TV outlets 	TV-R co-axial	GGBL7010	GGBL7010S		Euro modules - 50 x 50mm TV/Radio diplex HDMI TV/SAT diplex Twin 2 x 1A USB charger TV/FM/SAT triplex TV/FM/SAT1/SAT2 quadplex	GUE7010W GUE7020W GUE7040W GUE7074W GUE7081W GUE7082W		
	Diplex TV-R/DAB	GGBL7020	GGBL7020S		Grid plates 	1 gang 88 x 88mm	GGBL01G	
	Satellite "F" Type	GGBL7030	GGBL7030S			2 gang 88 x 88mm	GGBL02G	
	Quadplex TV-R/DAB & 2 x SAT	GGBL7074	GGBL7074S			3 gang 88 x 148mm	GGBL03G	
	Quadplex RJ45 Cat 5 & TV return	GGBL707445510	GGBL707445510S			4 gang 88 x 148mm	GGBL04G	
	Quadplex RJ45 Cat 5 & RJ12	GGBL707445511	GGBL707445511S			6 gang 156 x 156mm	GGBL06G	
	Quadplex BT secondary & TV return	GGBL70746110	GGBL70746110S			8 gang 156 x 156mm	GGBL08G	
	Triplex TV-R/DAB & SAT	GGBL7081	GGBL7081S					
	Triplex TV-R/DAB & RJ45 Cat 6 UTP	GGBL7081456	GGBL7081456S					

Note: Engraved and printed products are available.


 Optional LED indication can be added to the product

Product family	Description	Part codes	
		Wholesale packaged	Point-of-sale / display packaged
 Switch grid modules	10AX 2 way	GGBL102W	
	10AX 2 way retractive	GGBL102RW	
	10AX 2 way retractive & centre off	GGBL202OCW	
	10AX intermediate	GGBL10IW	
	20AX 1 way	GGBL201W	
	20AX 2 way	GGBL202W	
	20AX 2 way center off & on	GGBL2020W	
	20AX double-pole	GGBL20DPW	
	20AX double-pole with neon	GGBLG2011	
 Key switch grid modules	20AX 2 way	GGBL202KEPWPW	
	20AX double-pole	GGBL20DPKWPW	
 Supplementary grid modules	13A fuse carrier	GGBL13FCUWPW	
	USB charger	GGBLE7004	GGBLE7004S
	Blank	GGBLBW	
 Indicator grid modules	Green neon	GGBLINDWG	
	Orange neon	GGBLINDWO	
	Red neon	GGBLINDWR	
 Accessories & blank plates	LED indicator	GGBLSIND	
	1 gang illumination surround ** Product available from September 2015.	GGBLILL	GGBLILLS
	1 gang spacer	GGBLSPC1	GGBLSPC1S
	2 gang spacer	GGBLSPC2	GGBLSPC2S
	1 gang flex outlet frame	GGBLSPC1FO	
	1G Plate Switch Surround with Hook Wh		GGBLH1GS
	1G Plate Switch Surround with Clip Wh		GGBLC1GS
	2 gang surround with shelf		GGBLSHF2GS
	1 gang blank plate	GGBL8010	GGBL8010S
2 gang blank plate	GGBL8020	GGBL8020S	

Product family	Description	Part codes	
		Wholesale packaged	Point-of-sale / display packaged
 Surface pattresses	1 gang 16mm	GGBL9116	GGBL9116S
	1 gang 16mm architrave	GGBL9116A	
	1 gang 25mm	GGBL9125	GGBL9125S
	1 gang 40mm	GGBL9147	GGBL9147S
	2 gang 16mm architrave	GGBL9216A	
	2 gang 25mm	GGBL9225	GGBL9225S
	2 gang 25mm dual	GGBL9D25	GGBL9D25S
	2 gang 40mm	GGBL9247	GGBL9247S

Product family	Description	Part code - display packaged
	2 gang SP switched socket outlet with 2 x USB chargers Can be installed in a 25mm mounting box without spacer	GGBL30202USBS
	2 gang surround with shelf	GGBLSHF2GS

Note: Engraved and printed products are available.

 Optional LED indication can be added to the product

Life Is On

by Schneider Electric™

SE8927 FEB 2015

Schneider Electric Limited is a company registered in England and Wales.
Registered number: 1407228. Registered office: Stafford Park 5, Telford, Shropshire TF3 3BL.

© 2015 Schneider Electric. All Rights Reserved. Schneider Electric, Make the most of your energy and Lisse are owned by Schneider Electric Industries SAS, or its affiliated companies in the United States and other countries.

As standards, specifications and designs change from time to time, please ask for confirmation of the information given in this publication.



